

Flushing made easy: TOOL BOX W04

When replacing the heat exchanger, water pump or charge air cooler, you should always make sure you flush the cooling circuit afterwards. In fact, for some engines, it's a stipulated requirement. The TOOL BOX W04 provides a compact, universal solution here. It allows mechanics to easily carry out the complete flushing procedure, even when dealing with very intricate cooling systems. All connector systems and adapters have been designed so that they each fit just one mating part, thereby eliminating the possibility of connection errors.

Contents

- > Complete flushing and vacuum unit
- > Battery and hose clamps
- > All the necessary hoses and couplings
- > Venturi nozzle
- > Screw caps for containers
- > Clearly explained instructions


Benefits

- Simple, safe flushing in accordance with the manufacturer's specifications, even for very intricate cooling systems
- Perfect match for the adapters and connectors contained in TOOL BOX W01
- > Smart solution in two handy cases
- > Universally suitable for all vehicles
- > 'Made in Germany' seal of quality
- > 5-year guarantee: www.continental-ep.com/5



Parts list/area of application for TOOL BOX W04

Item	Description	Item	Description
1	Channel 1 (on block 17)	15	Cleaning adapter
2	Channel 2 (on block 17)	16	Suction adapter
3	Coupling for suction hose (pump)	17	Inspection glass (for checking the filling process)
4	Connector for suction hose	18	Pump EAP 11_12VDC_Continental
5	Connector for pressure hose (pump)	19	On/off switch (pump)
6	Coupling for pressure hose	20	Battery clamps for 12V DC (power supply to pump)
7	Suction hose for container	21	Screw cap DIN 61 for "new fluid" container
8	Drain hose for container	21.1	30 I container* with DIN 61 closure (for new fluid)
9	Valve block with manometer and stopcocks A + B	22	Screw cap DIN 61 for "used fluid" container
10	Venturi nozzle	22.1	30 I container* with DIN 61 closure (for used fluid)
11	Drain hose (for releasing pressure at valve block)	23	Hose clamps (four)
12	Flush hose with variable adapter Ø $8/10/12/15~\text{mm}$ and hose clip	24 + 25	Storage cases
13	Fastening hose Ø 8/10 mm, with hose clip	A + B	Stopcocks on valve block
14	Fastening hose Ø 12/15 mm, with hose clip		



Vehicle applications where flushing is stipulated by the vehicle manufacturer:

Volkswagen

Engine cod	е			
DBGA	CRBC	DFGC	DNAE	DTSA
DFHA	CKFC	DGDA	DMZB	CUVE
CUAA	CUNA	DFEA	CRKA	DNAA
CUUB	CRVA	CXHA	CXXB	DSRB
CUUA	CRLD	DTUA	DGTE	DTRB
CUVC	CRKA	DSRA	CRVC	DTSB
CUWA	CRLB	DTRF	CRLB	DSRA
DFSB	CLCA	DTRE	CRBC	DELA
CUUF	CXGA	DTRC	DGCA	DBKA
DFSC	DCXA	DSRB	СҮКВ	CRMB
CUUD	CUPA	DSUD	CRVA	DJGA
CUUE	DDAA	DTSA	CXXA	DCYB
CXFA	DGTC	DTRA	DCYA	DDYB
CXEC	DGTD	DTSB	CUUA	DFHA
CXEB	CFGC	DFGA	DCZA	DFGB
CAAA	DLUB	CVCA	DFEA	DLTA
CAAB	DFMA	DFSB	DBGA	DFLD
СХНВ	CFFE	DFSF	DFCA	DTTC
DAUA	DGTE	DFSC	DBGB	DFEB
DAVA	DFFA	DFSD	CUXA	DTRD
CLHB	DGDB	DFSE	DFLA	DEJB
CLHA	DFGA	СХНА	DLUB	DEJA
CRKB	DBGC	DMZA	DFMA	DGMA
DDYA	СҮКС	CXGA	CUVA	DLTC
CRBB	CFFD	CXGB	DTTA	

Seat

Engine code				
CUVC	DFHA	CXXB	CUVA	DFLD
CFGC	CRVA	DGTE	DTTA	DDYB
DLUB	DGTC	CRBC	DTTC	DBKA
CUWA	CLHB	DFGA	CXXA	DTSB
DFMA	CLHA	CXMA	CRMB	DLTC
CFFE	CRKB	DSTB	CUPA	DCYA
DGTD	CRVC	DSUD	CRLB	
DGTA	CKFC	DTRD	DJGA	
DDYA	CUNA	DTUA	DTSA	
DFFA	CRLD	DFLA	DLTA	

Audi

Engine code				
CXMA	САНВ	DEZB	CSUA	DTPB
CLHA	DESA	DSRB	CSUE	DBKA
CRKB	CNHA	DSUD	DDCB	CRUA
DDYA	DEUC	DTSA	CZJA	DJGA
CRBD	DEUA	DTUA	DDDA	CNHC
CRFC	DETB	DEZE	DTTC	DFVA
CRBC	DETA	DTPA	CUVB	DDCA
CUNA	CGLE	DEZF	DBBA	DFTB
CRFA	CSUD	DEZD	DFUA	DTSB
CRLC	DFGA	DFBA	DFTC	DTRD
CRLB	DFHA	DTNA	DFTA	DBGA
CXXB	CFFA	DGTE	CYLA	DEJA
CAGB	CUVC	DGCA	CSUB	
DEUB	CUWA	DCYA	DTNB	
CZHA	CUVD	CMFB	CGLA	
CJCD	CJCB	CGLD	DTRB	

Škoda

Engine co	ode			
DGTD	CKFB	CFHA	CRMB	DTSB
DGTA	CRVC	DTRB	CUPA	DDYB
DDYA	CKFC	DSTA	CLNA	DBKA
DFFA	CUNA	DTTC	DCZA	CYKA
DFHA	CAYC	DTUA	DFEA	DCYA
DBGC	CXMA	DSUD	DFCA	DJGA
CUAA	DCXA	DTRA	DFSB	DSRA
CLHB	CRLB	DTTA	CUUA	DFSA
CLHA	DDAA	DFGA	CLCA	DSRB
CRKB	CUUB	CXXA	DTRD	DTSA
DGTE	CFHF	CXXB	DSTB	

Cupra

Engine code
DTTC
DTTA





